



2023 Quality Incentive Program



Table of Contents

- 3 Message From Our Chief Medical Officer (CMO)**
- 4 Program Overview**
- 7 Additional Incentive Opportunities**
- 8 Summary of Changes from 2022 Program**
- 9 2023 Measures and Targets**
- 13 Program Resources**
- 15 Measure Specifications and Tips**
- 36 Consumer Assessment of Healthcare Providers and Systems (CAHPS[®])**



Message From Our Chief Medical Officer (CMO)

Dear colleagues:

EmblemHealth is committed to helping our members stay healthy, get well, and live better lives. Our provider network plays an integral role in this effort, and we know you share the same commitment to delivering excellent care to your patients.

As part of the EmblemHealth provider network, you have an opportunity to earn incentive payments for the work you do. Our Quality Incentive Program (QIP) will continue to focus on measures that impact and improve important health outcomes for members.

Our QIP strives to improve the following key outcomes for our shared members:

1. Engagement in Preventive Care.

We value investment in preventive care. Many important measures, including annual well visits, cancer screenings, and immunizations, are included in our incentive program to ensure Members get the important care they need to stay healthy.

2. Coordination of Care.

Coordination of care ensures that responsibilities for care and service transitions are orderly and promote the highest quality of care possible. We have included measures to focus on transition of care post-discharge and screening for social determinants of health.

3. Chronic Disease Health Outcomes.

It is very important to our health plan that our members with chronic conditions, such as diabetes and heart disease, get the help and support they need to best manage their conditions. Therefore, we included measures in this program that help members with high-risk health conditions get the assessments and treatments they need to stay well.

4. Health Equity.

We are committed to ensuring health equity amongst the diverse populations that we serve. To that end, we have added two new measures to the 2023 program that reward providers for helping improve outcomes for our African American members.

5. Member Satisfaction.

Lastly, a member satisfaction metric was added to the program to capture member experience, as we continually strive to understand and adjust to the unique needs of our members.

We thank you for your support and dedication in helping our members receive the preventive and chronic care needed to keep them healthy. We hope that this program supports you in your efforts.

Sincerely,

A handwritten signature in black ink that reads "Richard Dal Col MD, MPH". The signature is written in a cursive, flowing style.

Richard Dal Col, MD, MPH
Enterprise Chief Medical Officer



Program Overview

Eligibility and Program Requirements

Primary care providers participate in the QIP at the group level (indicated as a Med Center by EmblemHealth). Providers participating in a delegated risk arrangement with EmblemHealth are not eligible for the QIP. Additionally, there may be other value-based arrangements that prohibit participation. Please speak to your EmblemHealth Relationship Manager if you have questions about your eligibility for the QIP and existing contracts with EmblemHealth. Eligibility and payout determinations shall be made by EmblemHealth in its sole discretion.

Further qualifications for the EmblemHealth QIP include the following:

- 1. Open Panel.** To participate, you must accept new EmblemHealth membership across your participating line/s of business.
- 2. Membership Eligibility Criteria.** Providers at the group level (indicated as a Med Center by EmblemHealth) must have at least 50 members in Medicare, Medicaid/Child Health Plus/HARP, or QHP/Essential to be eligible. Providers must meet this membership threshold to be eligible for each respective QIP. Panel sizes as of Dec. 31, 2023, will be used to determine program eligibility and payout; only panels that meet the membership threshold will be eligible for payout. Additionally, there is a minimum denominator size requirement in place for each measure (of 15 members).
- 3. Medical Record Access/Supplemental Data.** We know you do your best to submit respective claims for your patients, but sometimes we don't have the required documentation needed to help close critical quality gaps. We encourage you to provide EmblemHealth access to your patients' medical records, supply supplemental data, and share nonstandard data to ensure we capture all needed information regarding your patients. You must provide EmblemHealth with access to medical records, at no charge, for quality reviews related to this QIP, as well as for Healthcare Effectiveness Data and Information Set (HEDIS®) and other regulatory initiatives.

Supplemental data files for 2023 dates of service will be accepted according to the table below:

| Data Type | Description | Submit to: | Submission Deadline: |
|--|--|--|--|
| Standard Supplemental data*: | Aggregated member data from a provider's EHR/EMR system in a required format. <i>Supplemental data should be submitted monthly, using the required format</i> | quality_data@emblemhealth.com | Feb. 28, 2024, if a prior submission was received by Dec. 29, 2023. |
| Non-standard data* (medical records): | All other data which requires physical inspection e.g. member charts, clinical summaries. <i>May be submitted as proof of historical services, or services rendered by partnering or specialty providers only, to supplement compliance outside of claims and the standard supplemental file.</i> | HEDISGroup@emblemhealth.com <i>and copy Relationship manager</i> | Dec. 29, 2023. <i>*Records only accepted starting Apr. 1, 2023 for measurement year 2023.</i> <i>*Resubmitted or corrected records will not be accepted for files sent after Dec. 22, 2023..</i> |

*See additional training material from your EmblemHealth Relationship Manager on supplemental data templates and accepted measures.

Measures

Providers will be evaluated on quality measures that are consistent with those published by the Centers for Medicare & Medicaid Services (CMS) and the New York State Department of Health (NYSDOH). For a list of measures that are included in the EmblemHealth QIP, as well as the related payment tiers, please see the **charts included in this brochure**.

Measurement Period

Provider groups will be paid based on their panel membership as of Dec. 31, 2023. Payment is based on each eligible member receiving services, or claims received for services rendered. Incentive payments will be made in Quarter 2, 2024. Payments will be sent to the IPA/managing entity to disburse and not to individual providers.

Benchmark Targets

EmblemHealth evaluates and updates our program, methodology, measurement sets, and benchmarks annually. In addition, we ensure that our various programs align with the quality of care standards defined by requirements from the National Committee for Quality Assurance (NCQA), CMS, DOH, and EmblemHealth's quality improvement priorities.

In establishing benchmark rates, EmblemHealth employs a methodology that primarily follows official industry-standard criterion in combination with the historical performance of our plan and our network providers. For example, EmblemHealth may slightly reduce the QIP target benchmark if we are currently below the 50th percentile or 3 Medicare Star rating; similarly, if the plan is above the 75th benchmark or 4 Star rating, we may increase the benchmark to support continuous quality improvement, while keeping our targets as achievable as possible.

Additional Incentive Opportunities

1. Access to Electronic Medical Records (EMRs)

EmblemHealth will offer an additional incentive for provider groups that grant remote access to their EMRs. Allowing this access can help increase your rates, as it will assist us in capturing services that are not typically billed for, or historically have trouble showing up through claims. Each EMR system access granted to EmblemHealth will result in a payment of \$2,000. Please note this is a one-time incentive for new access only.

2. Risk Adjustment Reimbursements

EmblemHealth is committed to assisting our providers in identifying and managing our members' chronic conditions. This is also an area where providers can earn additional reimbursements.

Through a web-based tool on our portal, providers can view member alerts that show emerging chronic conditions and existing conditions that need to be treated. Providers can respond to the alert online and attach required progress notes and documentation. Providers who participate can receive a reimbursement for each compliant completed alert, and additional reimbursements if the compliant alerts are completed prior to July 1, 2023.

Reimbursement for each completed alert with attached progress notes

\$150 per Medicare member, \$40 per Medicaid member, \$100 per commercial member.

Summary of Changes from 2022 Program

EmblemHealth has made changes to enhance and simplify the overall structure of the QIP. We are focused on supporting our provider relationships through ongoing reporting, targeted quality improvement efforts, and increased incentive opportunities.

1. Enhancements to Incentive Payments

- **Medicare** – Increased Tier 1, Tier 2, and Tier 3 Payments from \$25/\$50/\$75 in 2022 to \$50/\$75/\$100 in 2023.
- **Medicaid/HARP/CHP and Essential/QHP** – Increased Tier 3 Payment from \$75 in 2022 to \$100 in 2023. Additionally, Increased Tier 2 Payment from \$50 in 2022 to \$75 in 2023.

2. Health Disparity Measure

- Diabetes A1c Control (HEDIS)
- Child and Adolescent Well-Care Visits

In 2023, for the first time, EmblemHealth created equity incentive measures to reduce racial disparities in African American members. These measures will focus on: diabetes A1c control (HEDIS) and child and adolescent well-care visits. The equity incentive measures will increasingly reward provider groups that focus on equity amongst their enrolled population and reach performance targets. EmblemHealth believes that the equity incentive measures will help improve the outcomes of those populations that have historically been underserved.

3. Measure Updates — Below is a summary of removed and added measures for 2023. Member satisfaction with Primary Care Provider (PCP) is a new addition to the program.

| Population | Removed Measures | Added Measures |
|-------------------|---|--|
| Medicare | NA | <ul style="list-style-type: none"> • Transition of Care – Medication Reconciliation • Member Satisfaction with PCP |
| Medicaid/HARP/CHP | <ul style="list-style-type: none"> • Asthma Medication Ratio • Immunizations for Adolescents Combo 2 • Lead Screening in Children • Follow-up After Emergency Department Visit for Mental Illness – seven day | <ul style="list-style-type: none"> • Member Satisfaction with PCP • Health Disparity – A1c • Health Disparity – Child and Adolescent Well-Care Visits |
| QHP/Essential | Asthma Medication Ratio | <ul style="list-style-type: none"> • Kidney Health Evaluation in Patients with Diabetes • Health Disparity – A1c • Health Disparity – Child and Adolescent Well-Care Visits |

4. Member Satisfaction — Last year, EmblemHealth introduced a post-visit member satisfaction survey tool to measure our members’ satisfaction with the care that they are receiving from our network providers. This year, survey results will be used toward a satisfaction measure in our quality improvement program. The survey targets members who have completed a visit with their attributed primary care provider (PCP) for all groups with 50 or more members in Medicare or Medicaid/HARP. In 2024, EmblemHealth will add a financial penalty in our quality incentive program for lower performance as this is a measure that is of utmost importance to our Plan.

5. Social Determinants of Health (SDOH) — EmblemHealth is now adapting the new NCQA HEDIS measure social need screening and intervention. Additional resources will be made available to support measure improvement.



2023 Measures and Targets

Medicare

| MEASURES | INCENTIVE TARGETS ¹ | | | INCENTIVE PAYMENT ² | | |
|---|--------------------------------|--------|--------|--------------------------------|--------|--------|
| | TIER 1 | TIER 2 | TIER 3 | TIER 1 | TIER 2 | TIER 3 |
| Prevention | | | | | | |
| Annual Wellness/Preventive Visit | 50% | 55% | 60% | \$50 | \$75 | \$100 |
| Breast Cancer Screening | 62% | 70% | 77% | \$50 | \$75 | \$100 |
| Colorectal Cancer Screening | 60% | 66% | 71% | \$50 | \$75 | \$100 |
| Social Determinants of Health | 10% | 15% | 20% | \$50 | \$75 | \$100 |
| Chronic Disease Care | | | | | | |
| Eye Exam for Patients With Diabetes | 61% | 66% | 71% | \$50 | \$75 | \$100 |
| Blood Sugar Control for Patients With Diabetes | 62% | 69% | 75% | \$50 | \$75 | \$100 |
| Controlling High Blood Pressure | 63% | 68% | 73% | \$50 | \$75 | \$100 |
| Medication Adherence | | | | | | |
| Medication Adherence for Diabetes | 85% | 88% | 92% | \$50 | \$75 | \$100 |
| Medication Adherence for Hypertension | 86% | 89% | 91% | \$50 | \$75 | \$100 |
| Medication Adherence for Cholesterol | 85% | 88% | 92% | \$50 | \$75 | \$100 |
| Utilization | | | | | | |
| All Cause Readmission | 92% | 94% | 96% | \$50 | \$75 | \$100 |
| Transition of Care – Patient Engagement after Discharge | 80% | 85% | 90% | \$50 | \$75 | \$100 |
| Transition of Care – Medication Reconciliation | 57% | 63% | 69% | \$50 | \$75 | \$100 |
| Other | | | | | | |
| Member Satisfaction With PCP | 9.1 | 9.3 | 9.5 | \$50 | \$75 | \$100 |

¹ Targets are based on Medicare Cut Points published by CMS, historical performance data, and additional industry-standard benchmarks.

² Once the Tier 1, Tier 2, or Tier 3 target is achieved, the provider will earn the respective incentive payment for each eligible member who received appropriate treatment.

Medicaid/CHP/HARP

| MEASURES | INCENTIVE TARGETS ¹ | | | INCENTIVE PAYMENT ² | | |
|--|--------------------------------|--------|--------|--------------------------------|--------|--------|
| | TIER 1 | TIER 2 | TIER 3 | TIER 1 | TIER 2 | TIER 3 |
| Adult Prevention | | | | | | |
| Annual Wellness/Preventive Visit | 50% | 55% | 60% | \$50 | \$75 | \$100 |
| Breast Cancer Screening | 63% | 66% | 69% | \$25 | \$75 | \$100 |
| Colorectal Cancer Screening | 58% | 60% | 65% | \$25 | \$75 | \$100 |
| Social Determinants of Health | 10% | 15% | 20% | \$50 | \$75 | \$100 |
| Cervical Cancer Screening | 67% | 71% | 74% | \$25 | \$75 | \$100 |
| Chlamydia Screening | 70% | 75% | 80% | \$25 | \$75 | \$100 |
| Adult Chronic Disease Care | | | | | | |
| Blood Sugar Control for Patients With Diabetes | 64% | 69% | 74% | \$25 | \$75 | \$100 |
| Controlling High Blood Pressure | 63% | 68% | 73% | \$25 | \$75 | \$100 |
| Pediatric Care | | | | | | |
| Oral Evaluation, Dental Services | 55% | 58% | 59% | \$25 | \$75 | \$100 |
| Childhood Immunization Status Combo 3 | 73% | 75% | 77% | \$25 | \$75 | \$100 |
| Well-Child Visits in the First 30 Months of Life (two or more visits in months 15-30) | 81% | 83% | 85% | \$50 | \$75 | \$100 |
| Well-Child Visits in the First 30 Months of Life (six or more visits in the first 15 Months) | 69% | 74% | 75% | \$50 | \$75 | \$100 |
| Child and Adolescent Well-Care Visits | 70% | 71% | 74% | \$50 | \$75 | \$100 |
| Utilization | | | | | | |
| All Cause Readmission | 92% | 94% | 96% | \$50 | \$75 | \$100 |
| Transitions of Care (Patient Engagement After Inpatient Discharge) | 55% | 60% | 65% | \$25 | \$75 | \$100 |
| Other | | | | | | |
| Health Disparity – Blood Sugar Control African Americans | 64% | 69% | 74% | \$25 | \$75 | \$100 |
| Health Disparity – Child and Adolescent Well-Care Visits African Americans. | 70% | 71% | 74% | \$25 | \$75 | \$100 |
| Member Satisfaction With PCP | 9.1 | 9.3 | 9.5 | \$25 | \$75 | \$100 |

¹ Targets are based on benchmarks published by NYSDOH, historical performance data, and additional industry-standard benchmarks.

² Once the Tier 1, Tier 2, or Tier 3 target is achieved, the provider will earn the respective incentive payment for each eligible member who received appropriate treatment.

QHP/Essential

| MEASURES | INCENTIVE TARGETS ¹ | | | INCENTIVE PAYMENT ² | | |
|--|--------------------------------|--------|--------|--------------------------------|--------|--------|
| | TIER 1 | TIER 2 | TIER 3 | TIER 1 | TIER 2 | TIER 3 |
| Adult Prevention | | | | | | |
| Annual Wellness/Preventive Visit | 50% | 55% | 60% | \$50 | \$75 | \$100 |
| Breast Cancer Screening | 71% | 73% | 78% | \$25 | \$75 | \$100 |
| Colorectal Cancer Screening | 63% | 67% | 72% | \$25 | \$75 | \$100 |
| Cervical Cancer Screening | 74% | 76% | 80% | \$25 | \$75 | \$100 |
| Chlamydia Screening | 45% | 49% | 62% | \$25 | \$75 | \$100 |
| Adult Chronic Disease Care | | | | | | |
| Blood Sugar Control for Patients With Diabetes | 69% | 72% | 78% | \$25 | \$75 | \$100 |
| Eye Exam for Patients With Diabetes | 49% | 54% | 64% | \$25 | \$75 | \$100 |
| Controlling High Blood Pressure | 60% | 65% | 73% | \$25 | \$75 | \$100 |
| Kidney Health Evaluation for Patients With Diabetes | 42% | 46% | 55% | \$25 | \$75 | \$100 |
| Other | | | | | | |
| Health Disparity – Blood Sugar Control African Americans | 69% | 72% | 78% | \$25 | \$75 | \$100 |
| Health Disparity – Child and Adolescent Well-Care Visits African Americans | 57% | 61% | 73% | \$25 | \$75 | \$100 |

¹ Targets are based on NCQA Quality Compass benchmarks, historical performance data, and additional industry-standard benchmarks.

² Once the Tier 1, Tier 2, or Tier 3 target is achieved, the provider will earn the respective incentive payment for each eligible member who received appropriate treatment.

Program Resources

1. In-home screening partners/ vendors/partners

We know you take great care of our members but do understand that it's not always possible to get your patients into the office to be seen. We have partnered with several in-home vendors to provide an additional way for members to be seen in the comfort of their home and at no additional cost. We also provide your patients opportunities for home screenings (e.g. A1c and FOBT / FIT kits). All results of completed home visits and screenings will be communicated to you through fax or letters.

2. Rewards Program

The EmblemHealth Member Rewards Program is designed to ensure members get needed medical care such as their annual well-visit and selected preventative screenings. Members are rewarded for taking good care of their health. All you need to do is provide care as you always do, including referring your patient for necessary screenings such as mammograms.

- Members must sign-up for the Rewards Portal to participate in this program. For more information, they can visit **emblemhealth.com** (emblemhealth.com/resources/medicare-member-resource-center/medicare-wellness-rewards)
 - Call EmblemHealth Customer Service at the number on their member ID card.
 - Please submit claims to us as soon as possible, but no later than Dec. 31, 2023.

With the EmblemHealth Medicare Member Rewards Program, members can receive rewards for eligible services like:

- Initial Medicare Annual Well Visit (90 days)
- Initial Health Assessment (90 days)
- Annual Visit with PCP
- Reward Portal Registration
- EmblemHealth Member Portal Registration
- Sign-Up for Paperless
- Diabetes A1c Test
- Diabetes Eye Exam
- Annual Health Assessment*
- Colorectal Cancer Screening
- Mammogram Exam
- Comprehensive Medication Review (CMR)*
- Cholesterol Medication Refill*
- Diabetes Medication Refill*
- Hypertension Medication Refill*

* D-SNP members only. Patients are only eligible to earn after completing a CMR. Members earn \$10 for a 30-day fill (monthly; max 12 times a year), \$20 for a 60-day fill (bimonthly; max 6 times a year), or \$30 for a 90-day fill (quarterly; max 4 times a year).

For more information visit **emblemhealth.com** (emblemhealth.com/resources/medicare-member-resource-center/medicare-wellness-rewards).

3. Access to EmblemHealth Provider Portal.

The portal will have information on the QIP, gaps in care, and your opportunity for incentive payments. If you do not have an account, you may sign up at **emblemhealth.com/providers**.

4. Care Management

EmblemHealth offers a dedicated Care Management team staffed by nurses and social workers to support your patients' healthcare needs between doctor visits. This program is offered to your patient at no additional cost. We will work directly with you to develop a care plan for your patient.

Patients can learn more about the EmblemHealth Care Management program by:

- Calling Monday through Friday between the hours of 9 a.m. and 5 p.m. at **800-447-0768** (TTY: **711**), or
- Emailing **complexcasemgmt@emblemhealth.com**, or
- Visiting emblemhealth.com



Measure Specification and Tips

All Cause Readmission (PCR)

For patients 18 years of age and older, the number of acute inpatient and observation stays during the measurement year that were not followed by an unplanned acute readmission for any diagnosis within 30 days.

Numerator/Denominator

Numerator: Patients in the denominator with an acute inpatient or observation stay who did not have an unplanned acute inpatient or observation readmission for any diagnosis within 30 days after discharge.

Denominator: Patients 18 years of age and older years of age with an acute inpatient or observation stay with a discharge on or between Jan. 1 and Dec. 1 of the measurement year.

Exclusion Criteria:

- Died during the stay.
- Received hospice care at any time during the measurement period.
- Have a primary diagnosis of pregnancy.
- Had a primary diagnosis of a condition that originated in the perinatal period.

Additional Measure Information

Post-discharge planning and care coordination are essential in preventing unplanned readmissions. This measure is based on discharge events.

Telehealth

Medication reconciliation may be done over the phone.



HELPFUL TIPS

- Document medication reconciliation (discharge medications reconciled with current medication list) in the member's medical record.
- Identify high utilizers and populations at risk.
- Partner with facility to improve care coordination upon discharge.
- Keep open appointments so patients can be seen promptly upon discharge.
- Work with patients and caregivers to ensure they understand discharge care plan, including their new medication regimen.
- Obtain hospital discharge summary and use to schedule post-discharge appointments.
- Contact patients within three days of discharge.
- Refer to Care Management if high risk patient and need coordination of care. For more information and/or for your referrals, call our Care Management department at **800-447-0768 (TTY: 711)**, Monday through Friday, 9 a.m. to 5 p.m., or visit [emblemhealth.com/connectwithcaremanagement](https://www.emblemhealth.com/connectwithcaremanagement).

Annual Wellness/Preventive Visit (AWV)

The percentage of patients ages 18 and older who had an annual physical exam in the measurement year.

Numerator/Denominator

Numerator: Patients in the denominator who had an annual wellness exam in the measurement year.

Denominator: Patients ages 18 and older.

Additional Measure Information

Visit includes:

- Physical assessment
- Physical exam
- Laboratory tests
- Immunizations
- Preventive screening
- Referrals
- Counseling

Codes/Medications for Compliance

| Applicable Codes |
|---|
| Well Visit: HCPCS code of: <ul style="list-style-type: none">• G0438 (Initial Medicare preventative visit)• G0439 (Subsequent annual wellness visit)• G0468• G0402 |

| Applicable Codes |
|--|
| Annual Physical Exam: CPT codes: <ul style="list-style-type: none">• 99381-99387• 99391-99397• 99402-99404 |

Documentation Requirements

- For Medicare, when billing an annual wellness visit and annual physical exam on the same day, use a modifier code of 25 for the annual physical exam.

Telehealth

Telehealth can be used for compliance.



HELPFUL TIPS

- Send reminders prior to the scheduled appointment date.
- Consider expanding early morning, evening, and weekend hours.
- Provide patient education regarding the importance of preventive health visits and completing the annual wellness visit.
- Utilize visit to address behavioral health needs and social determinants of health.
- Visits can be done annually based on calendar year in conjunction with an annual physical exam.
- Telehealth resources may be utilized to reach patients unable to schedule an in-office appointment. See the **EmblemHealth Quality Measures and Risk Adjustment Telehealth Tip Sheet (emblemhealth.com/providers/clinical-corner/quality)** for more information (scroll to bottom of page, under Telehealth).
- Review office workflow to ensure time efficiencies.
- Offer block scheduling and/or AWV-specific appointment days.
- Provide patient education and resources regarding management of health conditions.

Blood Sugar Control for Patients With Diabetes (HBD)

The percentage of patients 18-75 years of age with diabetes (types 1 and 2) whose hemoglobin A1c (HbA1c) was at the following levels during the measurement year:

HbA1c control ($\leq 9.0\%$)

EmblemHealth is focused on driving the improvement of health disparities for this

measure for the African American population and, therefore, has included a separate measure specific to this race.

Numerator/Denominator

Numerator: HbA1c control: Patients in the denominator who have an HbA1c level $\leq 9.0\%$ in the measurement year (most recent HbA1c level is used).

Denominator: Members between ages 18-75 who have diabetes, as evidenced by one acute inpatient encounter or two outpatient encounters or were dispensed insulin or hypoglycemics/ antihyperglycemics in the measurement year or year prior.

Exclusion Criteria:

- Patients receiving hospice or palliative care at any time during the measurement year.
- Members ages 66 and older as of Dec. 31 of the measurement year who meet both frailty and advanced illness criteria.
- Patients with a diagnosis of polycystic ovarian syndrome, gestational diabetes, or steroid-induced diabetes.

Codes/Medications for Compliance

Applicable Codes

HbA1c Lab Test: CPT: 83036, 83037

HbA1c Test Results: CPT II:

- 3044F Most recent HbA1c level less than 7.0%
- 3051F Most recent HbA1c level greater than or equal to 7.0% and less than 8.0%
- 3052F Most recent HbA1c level greater than or equal to 8.0% and less than or equal to 9.0%

Documentation Requirements

Documentation must include screening results and date of service when the HbA1c test was performed. The most recent result is the ONLY result that is used to determine compliance. If the HbA1c result is >9.0 or missing the member will not be compliant for this measure.

Telehealth

Telehealth is not sufficient to complete screening, but documentation in telehealth visit of prior screening will count for compliance. Collect and document history of diabetes care.



HELPFUL TIPS

- Identify early in the year who may need A1c testing. Frequency of visits should depend on level of A1c control. Members with elevated A1c levels need to be seen more frequently
- Emphasize importance of medication and insulin adherence in managing blood glucose.
- Adjust therapies to improve levels and recommend follow-up visits to monitor results.
- Create a diabetes checklist in your EMR/patient chart to monitor if patients are up to date with recommended screenings.
- The date of the latest A1c of the added “measurement” should be submitted (CPT and CPT II codes).

Breast Cancer Screening (BCS)

The percentage of women ages 50-74 years who have had a mammogram to screen for breast cancer.

Numerator/Denominator

Numerator: Patients in the denominator who have had one or more mammograms between Oct. 1 two years prior to the measurement year and Dec. 31 of the measurement year.

Denominator: Women ages 50-74.

Exclusion Criteria:

- Patients with bilateral mastectomy.
- Patients receiving hospice or palliative care at any time during the measurement year.
- Do not count MRIs, ultrasounds, or biopsies toward the numerator. Although these procedures may be indicated for evaluating women at higher risk for breast cancer or for diagnostic purposes, they are performed as an adjunct to mammography and do not alone count toward the numerator.

Codes/Medications for Compliance

| Codes |
|--------------------------------------|
| CPT: 77061-77063, 77065-77067 |
| Exclusion Codes |
| Z90.13, All palliative care codes |

Documentation Requirements

Date of screening and results in medical record. If patient is not sure on exact date, document closest possible timeframe (i.e., month/year).

Telehealth

CPT 98966, 98967, 98968, 99441, 99442, 99443:
Telehealth not sufficient to complete screening;
only to review and document history of screenings.



HELPFUL TIPS

- Highlight the importance of early detection.
- Discuss common fears about testing. Inform them that currently available testing methods are less uncomfortable and require less radiation.
- Place a reminder in the patient's chart for when the next screening is due.
- Create "Standing Order" for ease of access.
- Share list of mammogram facilities with the patient.

Cervical Cancer Screening (CCS)

The percentage of women 21-64 years of age who had an appropriate screening for cervical cancer in the required time frame.

Numerator/Denominator

Numerator: Patients in the denominator who have had one or more cervical cancer screenings in the time frame (depends on age).

Denominator: Women 21-64 years of age.

Exclusion Criteria:

- Patients with hysterectomy with no residual cervix, cervical agenesis, or acquired absence of the cervix.
- Patients receiving hospice or palliative care at any time during the measurement year.
- Patients in hospice.

Codes/Medications for Compliance

| Applicable Codes |
|---|
| Cervical Cytology: CPT: 88141-88143, 88147, 88148, 88150, 88152-88154, 88164-88167, 88174, 88175 HCPCS: G0123, G0124, G0141, G0143, G0144, G0147, G0148, P3000, P3001, Q0091 |
| HPV Test: CPT: 87620, 87621, 87622, 87624, 87625 HCPCS: G0476 |
| Exclusion Codes |
| Z90.710, Z90.712, palliative care codes, hospice codes |

Additional Measure Information

- **Women 21-64 years of age:** cervical cytology during the current year or two years prior to the current year (every three years).
- **Women 30-64 years of age:** who had cervical high-risk human papillomavirus (hrHPV) testing performed during the current year or four years prior to the current year (every five years).
- **Women 30-64 years of age:** cervical cytology/HPV co-testing during the current year or four years prior to the current year (every five years).

Documentation Requirements

- Date cervical cytology was performed.
- Result or finding.

Telehealth

Telehealth not sufficient to complete screening; only to review and document history of screenings.



HELPFUL TIPS

- Highlight the importance of early detection, review barriers, and stress importance of yearly screening.
- Place a reminder in the patient's chart for when the next screening is due.
- Conduct test at other visits (e.g., sick visits) if opportunity presents.
- If patient has had hysterectomy, document, and code for this condition.
- Flag charts of patients after screening is performed to ensure timely follow-up of results and data capture for compliance.
- Refer patients to OBGYN as applicable.

Child and Adolescent Well-Care Visits (WCV)

The percentage of members ages 3-21 who had at least one comprehensive well-care visit with a primary care provider (PCP) or OB/GYN provider during the measurement year.

EmblemHealth is focused on driving the improvement of health disparities for this measure for the African American population and therefore has included a separate measure specific to this race.

Numerator/Denominator

Numerator: Patients in the denominator with one or more well-care visits with a PCP or OB/GYN during the measurement year.

Denominator: Patients aged 3-21 as of Dec. 31 of the measurement year.

Exclusion Criteria:

Patients receiving hospice or palliative care at any time during the measurement year.

Codes/Medications for Compliance

| Applicable Codes |
|--|
| Well-Care Visit |
| • CPT: 99381-99385, 99391-99395, 99461 |
| • HCPCS: G0438, G0439, S0302 |
| • ICD-10: Z00.00, Z00.01, Z00.110, Z00.111, Z00.121, Z00.129, Z00.2, Z00.3, Z02.5, Z76.1, Z76.2 |

Telehealth

Telehealth can be used for compliance. (Appropriate CPT needs to be submitted with GT modifier.)

Documentation Requirements

- Well-child visits must occur with PCP but does not have to be the PCP assigned.
- This measure is based on the American Academy of Pediatrics Bright Futures: Guidelines for Health Supervision of Infants, Children and Adolescents (published by the National Center for Education in Maternal and Child Health). Visit the Bright Futures website for more information about well-child visits (brightfutures.aap.org/materials-and-tools/guidelines-and-pocket-guide/Pages/default.aspx).



HELPFUL TIPS

- Conduct or schedule well-care visits when patients present for illnesses, or other events. Add modifier for separate and distinct services.
- Document all the required elements of a well-child visit.
- Pre-schedule the next well-visit before the patient leaves the office. Relay the importance of returning even if the child is doing fine.
- Provide health education/anticipatory guidance.
- Take an opportunity to check and administer vaccines that are due at every visit.

Childhood Immunization Status (CIS) — Combo 3

The percentage of children who have received all recommended vaccines by their second birthday.

Numerator/Denominator

Numerator: Patients in the denominator who have had the following vaccines by their second birthday:

- 4 diphtheria/tetanus/acellular pertussis (DTaP) vaccines.
- Three polio (IPV) vaccines.
- One measles/mumps/rubella (MMR) vaccine†
- Three haemophilus influenza type B (HiB) vaccine.s
- Three hepatitis B (HepB) vaccines.
- One chicken pox (VZV) vaccine.†
- Four pneumococcal conjugate (PCV) vaccines.

†Must occur between the child's first and second birthday.

Denominator: Patients turning age two during the measurement year.

Exclusion Criteria:

- Patients using hospice services any time during the measurement year.
- Patients who had a severe combined immunodeficiency, severe disorder of the immune system, HIV, malignant neoplasm of lymphatic tissue, or intussusception on or before their second birthday.

Codes/Medications for Compliance

Applicable Codes

- **DTaP: CPT:** 90698, 90700, 90723
- **IPV: CPT:** 90698, 90713, 90723
- **MMR: CPT:** 90707, 90710
- **HIB: CPT:** 90644, 90647, 90648, 90698, 90748
- **Hep B: CPT:** 90723, 90740, 90744, 90747, 90748;
- **HCPCS:** G0010
- **VZV: CPT:** 90710, 90716
- **Pneumococcal: CPT: 90670; HCPCS: G0009**

Documentation Requirements

- Collect and document history of immunizations. Documentation must include vaccine name and date administered.
- Children who had a contraindication for a specific vaccine (e.g., anaphylactic reaction, immunodeficiency) are excluded.

Telehealth

Telehealth not sufficient to complete immunizations.



HELPFUL TIPS

- Begin vaccination conversations as early as prenatal appointments.
- Present vaccination as the default option, presuming parents will immunize.
- Provide parents with records of their children's immunizations and ask them to bring the record to each visit.
- Schedule the next appointment at time of checkout and use every office visit as an opportunity to vaccinate.

Chlamydia Screening (CHL)

The percentage of women ages 16-24 who were identified as sexually active and who had at least one test for chlamydia during the current year.

Numerator/Denominator

Numerator: Patients in the denominator who have had a chlamydia screening in the measurement year.

Denominator: Women 16-24 years of age identified as sexually active.

Exclusion Criteria:

- Patients receiving hospice or palliative care at any time during the measurement year.
- Patients who qualified for the denominator based on a pregnancy test alone and who meet either of the following: pregnancy test and a prescription for Isotretinoin, or pregnancy test and an x-ray on the date of pregnancy test or six days after.

Codes/Medications for Compliance

| Applicable Codes |
|---|
| Chlamydia Culture <ul style="list-style-type: none">• CPT: 87110, 87270, 87320, 87490-87492, 87810, 87491, 87492, 87810 |

| Exclusion Codes |
|---|
| All Hospice codes CPT: 81025, 84702, 84703 Diagnostic Radiology |
| Medications (as applicable) |
| If a member is on birth control, then they are included in the measure denominator. |

Additional Measure Information

Women are identified as sexually active through claims/encounter and pharmacy data.

Documentation Requirements

Date of test and results.

Telehealth

Telehealth not sufficient to complete screening, only to review and document history of screenings.



HELPFUL TIPS

- Discuss safe sex practices and sexually transmitted diseases with patients.
- Highlight the importance of early detection.
- Review/confirm all preventive health screenings at each visit.
- Consider universal urine screening approach as a method to help prevent gaps in test and unidentified sexually active women.
- Consider incorporating chlamydia test into normal process when completing a pap test.

Colorectal Cancer Screening (COL)

The percentage of Members ages 45-75 who have had an appropriate screening for colorectal cancer in required time frame (depends on screening type).

Numerator/Denominator

Numerator: Members in the denominator with colorectal cancer screening in required time frame (varies by type of screening).

Appropriate screenings for colorectal cancer:

- Fecal occult blood test (FOBT) during the measurement year
- Flexible sigmoidoscopy: current year or four years prior to the measurement year (five years).
- Colonoscopy: current year or nine years prior to the measurement year (10 years).
- CT colonography: current year or four years prior to the measurement year (five years).
- FIT-DNA: current year or two years prior to the measurement year (three years).

Denominator: Members between ages 45-75.

Exclusion Criteria:

- Patients with evidence of colorectal cancer or total colectomy.
- Patients receiving palliative or hospice care are not included in the measure.

Codes/Medications for Compliance

| Applicable Codes |
|---|
| Colonoscopy: CPT, HCPCS, and ICD-9 codes (that is one group belonging to colonoscopy) |

| Applicable Codes |
|--|
| FOBT: CPT: 44388-44394, 44397, 44401-44408, 45355, 45378-45393, 45398 HCPCS: G0105, G0121 ICD9: 45.22, 45.23, 45.25, 45.42, 45.43 FOBT: CPT: 82270, 82274; HCPCS: G0328 Stool DNA (FIT): CPT: 81528 |
| CT Colonography: CPT: 74261-74263 Flexible Sigmoidoscopy: CPT: 45330-45335, 45337-45338, 45340- 45342, 45346-45347, 45349-45350 HCPCS: G0104; ICD9: 45.24 |

Documentation Requirements

- Report that indicates type of screening (test name), the date the screening was performed, and result.
- Member-reported colorectal cancer screenings are acceptable if the screening is documented in the patient's medical history.

Telehealth

Telehealth not sufficient to complete screening. Collect and document history of screenings



HELPFUL TIPS

- Ensure that the patient's history is updated annually regarding prior colorectal cancer screening test(s).
- Discuss all options for screening, including FOBT and Stool DNA, for patients who may not want colonoscopy.
- Provide order for testing.
- Highlight the importance of early detection.
- Review/ confirm all preventive health screenings at each visit.
- Place a reminder in the patient's chart for when the next screening is due.

Controlling High Blood Pressure (CBP)

The percentage of patients ages 18-85 diagnosed with hypertension whose blood pressure was adequately controlled (<140/90 mm Hg) during the measurement year.

Numerator/Denominator

Numerator: Patients in the denominator with a blood pressure reading of <140/90 Hg during the measurement year.

Denominator: Patients ages 18-85 diagnosed with hypertension at two or more visits between January 1 of the year prior to the measurement year and June 30 of the measurement year.

Exclusion Criteria:

Patients receiving hospice or palliative care at any time during the measurement year.

Codes/Medications for Compliance

Applicable Codes

Diastolic Blood Pressure: CPT II:

3078F - blood pressure less than 80 mmHg

3079F - blood pressure 80-89 mmHg

Systolic Blood Pressure: CPT II:

3074F - blood pressure less than 130 mmHg

3075F - blood pressure 130-139 mmHg

Additional Measure Information

Blood pressure readings that are member-reported and/or taken with remote digital monitoring device are reportable.

Documentation Requirements

- Utilize the most recent blood pressure (BP) reading during the measurement year, which must be taken on or after second diagnosis of hypertension

Telehealth

Telehealth can be used for compliance.



HELPFUL TIPS

- If blood pressure reading is high when the patient arrives, re-check at the end of the visit.
- If patient is hypertensive during visit, review medication history and consider modifying treatment plan.
- Schedule a follow-up visit once treatment plan has been initiated.
- Record exact systolic and diastolic values; do not round a result.
- Review diet, medications, exercise regimen, and treatment adherence with the patient at each visit
- Conduct outreach to patients with hypertension who have not had a follow-up appointment.
- Partner with patients to help identify any barriers to effective management.
- Connect patients with care coordinators or other practice staff for available resources.
- Encourage patients to use the mail order pharmacy service to save on the cost of medications.
- Prescribe a digital device for these members and discuss how self-monitoring at home may help them lower their blood pressure.
- Members can report their blood pressure verbally during a telehealth (telephone, e-visit, virtual) or office visit and that will help close the gap.
- Encourage members with hypertension to self-monitor with a covered device, see information on the EmblemHealth website here: [emblemhealth.com/providers/news/encourage-members-with-hypertension](https://www.emblemhealth.com/providers/news/encourage-members-with-hypertension).

Oral Evaluation, Dental Services (OED)

The percentage of patients under 21 who have received a comprehensive or periodic oral evaluation with a dental provider during the measurement year.

Numerator/Denominator

Numerator: Patients in the denominator with a comprehensive or periodic oral evaluation with a dental provider (DDS, DMD, or certified and licensed dental hygienists) during the measurement year.

Denominator: Patients under age 21 as of Dec. 31 of the measurement year.

Exclusion Criteria: Patients receiving hospice or palliative care at any time during the measurement year. Members who died any time during the measurement year.

Codes/Medications for Compliance

| Applicable Codes |
|------------------------|
| CDT: D0120 D0145 D0150 |

Documentation Requirements

Any periodic or comprehensive oral exam with a dental care provider.

Telehealth

Telehealth cannot be used for compliance.



HELPFUL TIPS

- This is a first year measure.
- No referral is required.
- Inform family of link of oral health to overall health.
- Encourage routine visits beginning as early as age one or first tooth eruption.
- Send parents, guardians, patients' reminders every six months to schedule for periodic exams, prophylaxis (cleanings), and fluoride treatments.
- Services must be performed by a dental provider (DDS, DMD, or certified and licensed dental hygienists).
- For many one-year-olds, visits will be counted because the specification includes children whose second birthday occurs during the measurement year.

Eye Exam for Patient With Diabetes (EED)

The percentage of members ages 18-75 with diabetes (type 1 or 2) who had a retinal eye exam.

Numerator/Denominator

Numerator: Members in the denominator who had a retinal or dilated eye exam during the measurement year or a negative retinal eye or dilated eye exam (negative for retinopathy) in the measurement year or year prior.

Denominator: Members between ages 18-75 who have diabetes, as evidenced by one or two acute inpatient encounters, or were dispensed insulin or hypoglycemics/ antihyperglycemics in the measurement year or year prior.

Exclusion Criteria:

- Members who do not have a diagnosis of diabetes.
- Members in hospice or using hospice services any time during the measurement year.
- Members receiving palliative care.

Codes/Medications for Compliance

| Applicable Codes |
|--|
| Diabetic Retinal Screening CPT: 67028, 67030, 67031, 67036, 67039-67043, 67101, 67105, 67107, 67108, 67110, 67113, 67121, 67141, 67145, 67208, 67210, 67218, 67220, 67221, 67227, 67228, 92002, 92004, 92012, 92014, 92018, 92201, 92202, 92019, 92134, 92229, 92225-92228, 92230, 92235, 92240, 92250, 92260, 99204-99205, 99213, 99215, 99242-99245. HCPCS: S0620, S0621, S3000 NOTE: These codes must be billed with an eye doctor specialty. |

Applicable Codes

Eye Exam with Retinopathy:

CPT II: 2022F, 2024F, 2026F, 92229

Eye Exam without Retinopathy:

CPT II: 2023F, 2025F, 2033F

Diabetic Retinal Screening Negative:

CPT II: 3072F

NOTE: These codes may be billed by any provider type.

Documentation Requirements

- Documentation must include screening results and date of service.
- Eye exams can be performed by an optometrist or ophthalmologist.
- A bilateral eye enucleation counts for numerator compliance.
- Eye exams read by artificial intelligence system count for compliance.

Telehealth

Members can get into denominator with telehealth visits. Telehealth not sufficient to complete screening. Collect and document history of diabetes care.



HELPFUL TIPS

- Explain the risk of impaired vision caused by diabetes and the importance of retinal eye exams.
- Ensure results are read by optometrist or ophthalmologist.
- Create a diabetes checklist in your EMR/patient chart to monitor if patients are up to date with recommended screenings.

Kidney Health Evaluation for Patients With Diabetes (KED)

The percentage of members ages 18-85 years of age with diabetes (type 1 and type 2) who received a kidney health evaluation, defined by an estimated glomerular filtration rate (eGFR) and a urine albumin-creatinine ratio (uACR), during the measurement year.

Numerator/Denominator

Numerator: Diabetic patients ages 18-85 who received both an Estimated Glomerular Filtration Rate (eGFR) and Urine Albumin-Creatinine Ratio (uACR)

Denominator: Diabetic patients ages 18-85 years of age.

Exclusion Criteria:

- Members with evidence of ESRD or dialysis any time during the member's history on or prior to the measurement year.
- Members receiving hospice or palliative care during the measurement year.

Additional Measure Information

eGFR and uACR tests can be performed on the same date or different dates of service during the measurement year

Documentation Requirements

Quality data for this measure is collected from claims.

Telehealth

Telehealth is not sufficient to close quality care gap for this measure

Codes/Medications for Compliance

| Applicable Codes |
|---|
| eGFR CPT Codes: 80047, 80048, 80050, 80053, 80069, 82565 |
| Quantitative Urine Albumin Lab Test CPT Code: 82043 |
| Urine Creatine Lab Test CPT Code: 82570 |



HELPFUL TIPS

- Create a diabetes checklist in your EMR/patient chart to monitor if patients are up to date with recommended screenings.
- Explain importance of detection and management of kidney disease for diabetic patients.
- Ensure lab tests are completed annually.

Medication Adherence for Cholesterol

The percentage of Medicare members with a prescription for a cholesterol medication (a statin drug) who fill their prescription often enough to cover 80% or more of the time they are supposed to be taking the medication.

Numerator/Denominator

Numerator: Members in the denominator who fill their cholesterol medication at least 80% or more of the time they are supposed to be taking the medication in the year.

Denominator: Medicare members with at least two statin cholesterol prescriptions filled (on unique dates of service) during the year.

Exclusion Criteria:

- Members receiving palliative care and members with end stage renal disease (ESRD) are excluded from measure.

Codes/Medications for Compliance

Applicable Codes

EmblemHealth and Affiliates use medication National Drug Codes (NDCs) from pharmacy data to calculate the rates.

Only statin medications qualify.

Medications

- Fluvastatin
- Pitavastatin
- Rosuvastatin
- Pravastatin
- Atorvastatin (+/- Amlodipine)
- Simvastatin (+/- Ezetimibe, Niacin)
- Lovastatin (+/- Niacin)

Documentation Requirements

Data from this measure comes from phosphodiesterases (PDE) data submitted by drug plans to Medicare. Only final action PDE claims are used to calculate this measure.

Telehealth

No benefits or inclusions around telehealth.



HELPFUL TIPS

- Stress the importance of remaining on statin medication to lower blood cholesterol and reduce the risk of cardiovascular disease.
- Consider prescribing a 90-day supply when appropriate and educate patient on pharmacy auto-refill program.
- Schedule follow-up visits to check progress.
- Discuss medication adherence barriers and ask open-ended questions about concerns related to health benefits, side effects, and cost.

Medication Adherence for Diabetes

The percentage of Medicare members with a prescription for diabetes medication who fill their prescription often enough to cover 80% or more of the time they are supposed to be taking the medication.

Numerator/Denominator

Numerator: Members in the denominator who fill their diabetes medication at least 80% or more of the time they are supposed to be taking the medication in the year.

Denominator: Medicare members with at least two filled prescriptions for diabetes medications (on unique dates of service) during the year.

Exclusion Criteria:

- Members receiving palliative/hospice care services.
- Members with an ESRD diagnosis or dialysis coverage dates.
- Members with one or more prescriptions for insulin.

Codes/Medications for Compliance

| Applicable Codes |
|---|
| EmblemHealth and Affiliates use medication National Drug Codes (NDCs) from pharmacy data to calculate the rates. |
| Medications |
| <ul style="list-style-type: none">• ACEI/ARB/direct renin inhibitor• ACEI/ARB/direct renin inhibitor combination |

Documentation Requirements

Data from this measure comes from PDE data submitted by drug plans to Medicare. Only final action PDE claims are used to calculate this measure.

Telehealth

No benefits or inclusions around telehealth.



HELPFUL TIPS

- Stress the importance of remaining on diabetes medication to control blood glucose and reduce the risk of diabetes-related illnesses.
- Consider prescribing a 90-day supply when appropriate and educate patient on pharmacy auto-refill program.
- Schedule follow-up visits to check progress.
- Discuss medication adherence barriers and ask open-ended questions about concerns related to health benefits, side effects, and cost.

Medication Adherence for Hypertension

The percentage of Medicare members with a prescription for a blood pressure medication who fill their prescription often enough to cover 80% or more of the time they are supposed to be taking the medication.

Numerator/Denominator

Numerator: Members in the denominator who fill their hypertension medication at least 80% or more of the time they are supposed to be taking the medication in the year.

Denominator: Medicare members with a prescription for a blood pressure medication.

Exclusion Criteria:

- Members receiving palliative/hospice care services.
- Members with an ESRD diagnosis or dialysis coverage dates.
- Members with one or more prescriptions for sacubitril/valsartan.

Codes/Medications for Compliance

| Applicable Codes |
|--|
| <ul style="list-style-type: none">• EmblemHealth and Affiliates use medication National Drug Codes (NDCs) from pharmacy data to calculate the rates. |
| Only RAS antagonists qualify. |
| Medications |
| <ul style="list-style-type: none">• ACEI/ARB/direct renin inhibitor• ACEI/ARB/direct renin inhibitor combination |

Documentation Requirements

Data from this measure comes from PDE data submitted by drug plans to Medicare. Only final action PDE claims are used to calculate this measure.

Telehealth

No benefits or inclusions around telehealth.



HELPFUL TIPS

- Stress the importance of remaining on renin-angiotensin system (RAS) antagonists to treat hypertension and proteinuria and reduce the risk of renal and heart disease.
- Consider prescribing a 90-day supply when appropriate and educate patient on pharmacy auto-refill program.
- Schedule follow-up visits to check progress.
- Discuss medication adherence barriers and ask open-ended questions about concerns related to health benefits, side effects, and cost.

Transitions of Care — Patient Engagement Post Inpatient Discharge (TRC)

The percentage of discharges for patients 18 years of age and older who had patient engagement within 30 days after discharge.

Numerator/Denominator

Numerator: Patient engagement after inpatient discharge within 30 days after discharge (office visit, telehealth, home visit).

Denominator: Members ages 18 and older who had an acute or nonacute inpatient discharge on or between Jan. 1 and Dec. 1 of the measurement year.

Exclusion Criteria:

Members in hospice or using hospice services.

Codes/Medications for Compliance

| Applicable Codes |
|---|
| Outpatient Visit CPT Codes: 99201-99205, 99211-99215, 99241-99245, 99341-99345, 99347-99350, 99381-99387, 99391-99397, 99401-99404, 99411-99412, 99429, 99455, 99456, 99483 HCPCS: G0402, G0438, G0439, G0463, T1015 |
| Telephone Visit: CPT: 98966-98968, 99441-99443 Transitional Care Management Services: CPT: 99495, 99496 Virtual Visit/Online Assessment: CPT: 98969-98972, 99421-99423, 99457-99458 HCPCS: G0071, G2010, G2012, G2061-G2063, G2250-G2252 |

Additional Measure Information

Care coordination is important when transitioning from the hospital setting back to home to ensure clear understanding of follow-up needs.

Documentation Requirements

- Documentation of patient engagement (e.g., office visit, visit to the home or telehealth visit) provided within 30 days after discharge.
- **Note:** Do not include patient engagement that occurs on the same date of discharge.

Telehealth

Telehealth visit, telephone visit, e-visit, or virtual check-in count for compliance in patient engagement after inpatient discharge.



HELPFUL TIPS

- Ensure patient's discharge information is comprehensive and complete.
- Ensure patient has a follow-up visit within 30 days of discharge.
- Review discharge summary, including new medication regimen with patients, and caregivers to ensure they understand diagnosis and care plan.
- Contact patient within three days of discharge.
- Ensure patient has all medications and can take as prescribed.
- Partner with facility to improve care coordination upon discharge.

